

BUCKINGHAM PARK WATER DISTRICT

2880 Eastlake Drive, Kelseyville, CA 95451

AGENDA

MEETING OF THE BOARD Monday August 23rd, 2021 at 5:00 p.m.

Held via teleconference Due to COVID-19

The public may attend via teleconference by calling (425) 436-6362 and use Access code: 807718#

<u>REQUEST FOR DISABILITY RELATED MODIFICATION OR ACCOMMODATION</u>: A request for a disability-related modification or accommodation which is necessary to participate in the Board of Directors meeting should be made in writing to the Secretary to the Board at least 48 hours prior to the meeting.

1.0	CALL TO ORDER: Time: / Location: Teleconference / Buckingham Park Water District's Business Office at 2874 Eastlake Drive, Kelseyville, CA 95451		
2.0	President	ALL OF BOARD MEMBERS: , Mark Boyle [] Vice President, Ken Agarwal [] Director, Shannon Maurer [] Lisa Vartabedian [] Director, Thomas Brandon []	
3.0	<u>PUBLIC INPUT:</u> NON-AGENDA ITEMS – Members of the Public may address the Board for a maximum of 3 minutes on subject matter, which falls within the jurisdiction of the Board.		
4.0	CONSENT AGENDA: (A Board Member may move any item from the Consent Agenda to the Action / Discussion Items should action need to be taken.)		
		oval of August 23 rd , 2021 Agenda oval of July 26 th , 2021 Minutes	
5.0	APPEALS:		
	5.1 Ap	ppeal #1 - High Water Usage / Bill	
6.0	ACTION / DISCUSSION ITEMS:		
	6.1	APPROVE / DISAPPROVE Managements Report July 2021	
	6.2	APPROVE / DISAPPROVE Adopt updated Policy No. 2565 on Jury Duty	



BUCKINGHAM PARK WATER DISTRICT

2880 Eastlake Drive, Kelseyville, CA 95451

AGENDA

MEETING OF THE BOARD Monday August 23rd, 2021 at 5:00 p.m.

Held via teleconference Due to COVID-19

The public may attend via teleconference by calling (425) 436-6362 and use Access code: 807718#

- 6.3 APPROVE / DISAPPROVE Adopt Policy No. 3016 on Mask Policy
- 6.4 DISCUSSION
 Update on Emergency Intake Project

7.0 NEW BUSINESS:

- 7.1 Approve / Disapprove Estimate for retaining wall concrete repair (had a difficult time finding repair company due to product not available for this type of underneath repair
- 7.2 Approve / Disapprove Purchase of Turbidimeter from Swan Analytical to come out of CIP Reserves
- 7.3 Approve / Disapprove Purchase of Portable Turbidimeter from Hach to come out of CIP Reserves
- 7.4 Consideration of items not appearing on the posted agenda:

Consideration of items not appearing on the posted agenda, if necessary, requires the following Board action prior to consideration: 1) A determination by a majority of the Board that an emergency situation exists (as defined in section 54956.9 of the Brown Act); or 2) A determination by a two-thirds vote of the legislative body or, if less than two-thirds of the members that are present, a unanimous vote of those members present, that there is a need to take immediate action and that the need for action came to the attention of the District subsequent to the agenda being posted.

8.0 ADJOURNMENT:

Motion to adjourn:	Time:
Respectfully Submitted by:	EOUTH EARGH V. 10 10 V O TO

Lori Gonzalez - Office Manager / Secretary to the Board